Certificate Number Report Reference Date UL-US-2130467-0 E350312-20210614 21-Jun-2021

Issued to: BIMED TEKNIK ALETLER SAN TIC A S BEYLIKDUZU MEVKII SS BAKIR VE PIRINC SAN ORKIDE CD NO 15 ISTANBUL Turkey 34524

This is to certify that representative samples of

NITW2 - Industrial Control Panels - Component See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2020-08-06
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

- Mally

Bruce Mahrenholz, Director North American Certification Program UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-US-2130467-0 E350312-20210614 21-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A3-BDRVM, BDRV, followed by 1M or 2M, followed by B, BN or X, followed by S, may be followed by L, may be followed by TLx.	Metal Drain Plugs
A3-BDRVN, BDRV, followed by 1N or 2N, followed by B, BN or X, followed by S, may be followed by L, may be followed by TLx.	Metal Drain Plugs
D Type , H, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , H, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , M, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , M, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , S, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , S, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , U, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type, U, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs

Bamely



Bruce Mahrenholz, Director North American Certification Program UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-CA-2125354-0 E350312-20210614 21-Jun-2021

Issued to: BIMED TEKNIK ALETLER SAN TIC A S BEYLIKDUZU MEVKII SS BAKIR VE PIRINC SAN ORKIDE CD NO 15 ISTANBUL Turkey 34524

This is to certify that representative samples of

NITW8 - Industrial Control Panels Certified for Canada -Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01
Additional Information:	See the UL Online Certifications Directory at https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Ramples

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-CA-2125354-0 E350312-20210614 21-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
A3-BDRVM, BDRV, followed by 1M or 2M, followed by B, BN or X, followed by S, may be followed by L, may be followed by TLx.	Metal Drain Plugs
A3-BDRVN, BDRV, followed by 1N or 2N, followed by B, BN or X, followed by S, may be followed by L, may be followed by TLx.	Metal Drain Plugs
D Type , H, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , H, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , M, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , M, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , S, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type , S, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs
D Type , U, followed by BVP, followed by G or K, followed by 1, followed by 3, may be followed by S, may be followed by L.	Polymeric Ventilation Plugs
J Type, U, followed by BVP, followed by G, followed by Q, followed by 1, followed by 3.	Polymeric Ventilation Plugs

Bamely



Bruce Mahrenholz, Director North American Certification Program UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/